



Application Form

	Please see attached guidance notes before completing this form
₩	Name of Organisation
	Name of contact
	Job title
	Address
	Postcode
&	Daytime Tel number
Y	E-mail address
†	Do you have a strategy for managing transport at your site? What is the current status of your Travel Plan?
	How many stands will you require? (Maximum of 10 stands)
2 +	How many stands will you require? (Maximum of 10 stands)





	Where do you propose to place your cycle parking facilities?
	Please attach a diagram or image to email:
<i>ø</i> ₩	
	What makes this a suitable location?
(&)	
分分	Please tick if you want any of the following:
	I would like cycle parking but have nowhere to put it please provide more information on cycle parking options
	Information and/or guidance on pool bikes.
	WestTrans Offerings - for the range of services and products that can support your sustainable travel initiatives (e.g. certificates & recognition scheme, bespoke travel information mapping, sustainable travel marketing campaigns, cycle training etc).
	Please send your completed form by email or post to: West London Travel Plan Co-ordinators London Borough of Ealing Transport Planning & Policy 4th Floor Perceval House, 14/16 Uxbridge Road Ealing W5 2HL Tel: 020 8825 9635 / 7223

Email: We st Trans Travel Plans@ealing.gov.uk





Advice & Support




If you need advice or help in selecting the best location for your stands, or are having problems finding a contractor to install the stands, please contact Tim Forrester, or Uto Patrick – West London Travel Plan Co-ordinators on 020 8825 9635 / 7223 (WestTransTravelPlans@ealing.gov.uk) or contact the Cycling officer at your local borough.

- The stands must also allow enough spacing between each other and any other objects/walls. Guidance on best practice in the placing and fitting of cycle stands is available to download from the WestTrans website.
- Your cycle stands should be sited in a prominent position, convenient for cyclists.
- 1. Are they secure, easily accessible, sheltered from the elements?
- 2. Is there room for additional stands if demand increases?
- You could consider giving bikes priority over other forms of transport. For example, why not place your stands by a main entrance? Or convert a current car park space into a cycle parking area?
- Your attached photo (on the application form) should show where you plan to locate your stands in relation to buildings, car parking, passageways, etc. Include relevant detail such as doorways, windows and CCTV.
- We strongly advise you to consult the people who are likely to use the stands and involve Bike User Groups or your local borough Cycling officers wherever possible.






Installation Guidelines for Underground fixing Cycle Stands



- Finish Stainless Steel grade 304, satin finish.
- Fixing Underground fixing dimensions: 750mm wide x 1000mm tall. 2.5mm wall thickness. Approximate weight: 8kg










- Drill Pilot Holes
- For an extremely neat finish, use a diamong cutter to drill to a depth of 50mm in the concrete/slab







24-

• Put the bike stand in the holes and use a spirit level to ensure it is level



- · Pour in quick setting concrete
- Leave to dry

